#### Closing Remarks



http://multiDM.fuw.edu.pl







Hai-Bo Yu, UC Riverside

Some of the views are very personal

#### **Great Success**

- ~70 participants, ~43 talks, ~1000 slides
- Covered a lot of interesting, important, and timely topics

WIMP searches direct/indirect/collider searches

Axion Landscape new search strategies


Non-standard DM candidates (a lot of model-building activities)

SIDM, SIMP, electromagnetic, giant monopoles, super-heavy, ADM, WISPY, gauge fields, relaxed DM, inflatable, coannihilating, bound state, sneutrino, neutrino-mass-motivated, composite, flavored, multi-component, semi-annihilating...


- Both the concert and the banquet were wonderful
- Warsaw is a beautiful city and people are nice

Let's thank our organizers!

### Dark Matter




#### Direct Detection





It would be a serious issue in 5-10 years


Monroe

#### Direct Detection+













Remarkable!

#### Collider Searches













Khurana


#### Indirect Detection













Weniger

#### What if DM is not a WIMP




"nightmare" scenario





- We should be happy, because we have more freedom to be naive/creative
- Ask simple and naive questions

## Start with Naive Questions




## Start with Naive Questions






Schmidt-Hoberg




- Create cores, agree better with data
- DM mass could be determined using self-scattering kinematics

## Start with Naive Questions


#### <u>Different thermal histories</u>



Give up the WIMP miracle?




# Being simple and naive might be OK!



## Looking Forward

#### Be optimistic



Gravitational Waves
Predicted in 1916
Search started in the 1970s

Discovered in 2016



Predicted in 1933
based on observations
Lab search started in the 1980s
Will be discovered by 2033?

# Looking Forward

- Be prepared for the "nightmare" scenario
  - Astrophysical and cosmological probes would be the only hope

Long-standing small-scale issues with  $\Lambda$ CDM (only deviations): missing satellites, too-big-to-fail, core vs. cup, diversity of spirals, disk-halo conspiracy...


Have more communication with astronomers and cosmologists



no DM in galaxies, but MOND



all about baryons



do not trust their data, messy anyway

#### It could be a great opportunity for us to make a difference



http://multiDM.fuw.edu.pl







I believe this is the purpose of this workshop